Rock Your Testing World with `Devel::Cover`

Geoffrey Young

Geoffrey.Young@Ticketmaster.com

Oh, Yeaahh!

- Hopefully, everyone here hath drunk of the testing kool-aid
- Coverage is the next step in your test-fu

Coverage?

- Ok, so you have some tests...
- How much of the code are your tests actually exercising?
- Code coverage measures tested program logic
- `Devel::Cover` adds the magic

Devel::Cover

- On CPAN
- Eerily simple to use
- Complete voodoo inside
- Paul Johnson rocks

geoff@jib:/src/WebService-CaptchasDotNet-0.06

File Edit View Terminal Tabs Help

```
[WebService-CaptchasDotNet-0.06]$ make test
cp CaptchasDotNet.pm blib/lib/WebService/CaptchasDotNet.pm
PERL_DL_NONLAZY=1 /perl/perl-5.8.7/bin/perl "-MExtUtils::Command::MM" "-e" "test_ha
rness(0, 'blib/lib', 'blib/arch')" t/*.t
t/01compile..................ok
t/02constructor..............ok
t/03empty_subclass...........ok
t/10verify...................ok
t/11random...................ok
t/12url......................ok
t/13expire...................ok
t/60_init....................ok
t/61_verify_random_string....ok
t/62_cleanup.................ok
t/63_time_to_cleanup.........ok
t/80cgi......................skipped
        all skipped: Apache-Test not configured
t/99pod......................skipped
        all skipped: Test::Pod required for testing POD
All tests successful, 2 tests skipped.
Files=13, Tests=99, 19 wallclock secs ( 3.05 cusr +  0.39 csys =  3.44 CPU)
[WebService-CaptchasDotNet-0.06]$
```

geoff@jib:/src/WebService-CaptchasDotNet-0.06

File Edit View Terminal Tabs Help

```
[WebService-CaptchasDotNet-0.06]$ HARNESS_PERL_SWITCHES=-MDevel::Cover make test
PERL_DL_NONLAZY=1 /perl/perl-5.8.7/bin/perl "-MExtUtils::Command::MM" "-e" "test_ha
rness(0, 'blib/lib', 'blib/arch')" t/*.t
t/01compile..................ok
t/02constructor..............ok
t/03empty_subclass...........ok
t/10verify...................ok
t/11random...................ok
t/12url......................ok
t/13expire...................ok
t/60_init....................ok
t/61_verify_random_string....ok
t/62_cleanup.................ok
t/63_time_to_cleanup.........ok
t/80cgi......................skipped
        all skipped: Apache-Test not configured
t/99pod......................skipped
        all skipped: Test::Pod required for testing POD
All tests successful, 2 tests skipped.
Files=13, Tests=99, 90 wallclock secs (74.33 cusr +  1.95 csys = 76.28 CPU)
[WebService-CaptchasDotNet-0.06]$
```

geoff@jib:/src/WebService-CaptchasDotNet-0.06

File Edit View Terminal Tabs Help

```
[WebService-CaptchasDotNet-0.06]$ HARNESS_PERL_SWITCHES=-MDevel::Cover make test
PERL_DL_NONLAZY=1 /perl/perl-5.8.7/bin/perl "-MExtUtils::Command::MM" "-e" "test_ha
rness(0, 'blib/lib', 'blib/arch')" t/*.t
t/01compile..................ok
t/02constructor..............ok
t/03empty_subclass...........ok
t/10verify...................ok
t/11random...................ok
t/12url......................ok
t/13expire...................ok
t/60_init....................ok
t/61_verify_random_string....ok
t/62_cleanup.................ok
t/63_time_to_cleanup.........ok
t/80cgi......................skipped
        all skipped: Apache-Test not configured
t/99pod......................skipped
        all skipped: Test::Pod required for testing POD
All tests successful, 2 tests skipped.
Files=13, Tests=99, 90 wallclock secs (74.33 cusr +  1.95 csys = 76.28 CPU)
[WebService-CaptchasDotNet-0.06]$ cover
```

geoff@jib:/src/WebService-CaptchasDotNet-0.06

File Edit View Terminal Tabs Help

```
t/12url.......................ok
t/13expire....................ok
t/60_init.....................ok
t/61_verify_random_string....ok
t/62_cleanup..................ok
t/63_time_to_cleanup.........ok
t/80cgi.......................skipped
        all skipped: Apache-Test not configured
t/99pod.......................skipped
        all skipped: Test::Pod required for testing POD
All tests successful, 2 tests skipped.
Files=13, Tests=99, 90 wallclock secs (74.33 cusr +  1.95 csys = 76.28 CPU)
[WebService-CaptchasDotNet-0.06]$ cover
Reading database from /src/WebService-CaptchasDotNet-0.06/cover_db


---------------------------------- ------ ------ ------ ------ ------ ------
File                                 stmt   bran   cond    sub   time  total
---------------------------------- ------ ------ ------ ------ ------ ------
...lib/WebService/CaptchasDotNet.pm  100.0   81.2  100.0  100.0  100.0   95.3
Total                                100.0   81.2  100.0  100.0  100.0   95.3
---------------------------------- ------ ------ ------ ------ ------ ------


Writing HTML output to /src/WebService-CaptchasDotNet-0.06/cover_db/coverage.html .
..
done.
[WebService-CaptchasDotNet-0.06]$
```

Coverage in 2 Easy Steps

```
$ HARNESS_PERL_SWITCHES=-MDevel::Cover make test
$ cover
```

Coverage in 3 Easy Steps

```
$ cover -delete
$ HARNESS_PERL_SWITCHES=-MDevel::Cover make test
$ cover
```

- That's too much work for me

Coverage in 1 Easy Step

- Savvy modules make life even better

```
$ make testcover
```

- `testcover`-aware modules
  - `Module::Build`
  - `Apache-Test`
  - `ExtUtils::MakeMaker::Coverage`

Don't like dependencies?

- do it yourself...

Makefile.PL

```
sub MY::test {

  my $test = shift->MM::test(@_);

  if (eval { require Devel::Cover }) {
    $test .= <<EOF;
testcover ::
        cover -delete
        HARNESS_PERL_SWITCHES=-MDevel::Cover make test
        cover
EOF
  }

  return $test;
}
```

That's It!

- I've just told you everything you need to know to use `Devel::Cover`
- Go forth
- The rest of the talk...
  - understanding `Devel::Cover` data
  - code coverage concepts
  - real-world examples

3 Coverage Metrics

- Statement
  - simple execution

```
print "ok" if $foo || $bar;
```

- Branch
  - logical pathways

```
print "ok" if $foo || $bar;
```

- Condition
  - elements of a branch

```
print "ok" if $foo || $bar;
```

geoff@spinnaker:/src/WebService-CaptchasDotNet-0.06

File Edit View Terminal Tabs Help

```
t/12url.......................ok
t/13expire....................ok
t/60_init.....................ok
t/61_verify_random_string....ok
t/62_cleanup..................ok
t/63_time_to_cleanup.........ok
t/80cgi.......................skipped
        all skipped: Apache-Test not configured
t/99pod.......................skipped
        all skipped: Test::Pod required for testing POD
All tests successful, 2 tests skipped.
Files=13, Tests=99, 95 wallclock secs (77.54 usr +  3.93 csys = 81.47 CPU)
[WebService-CaptchasDotNet-0.06]$ cover
Reading database from /src/WebService-CaptchasDotNet-0.06/cover_db


---------------------------------- ------ ------ ------ ------ ------ ------
File                                 stmt   bran   cond    sub   time  total
---------------------------------- ------ ------ ------ ------ ------ ------
...lib/WebService/CaptchasDotNet.pm  100.0   81.2  100.0  100.0  100.0   95.3
Total                                100.0   81.2  100.0  100.0  100.0   95.3
---------------------------------- ------ ------ ------ ------ ------ ------


Writing HTML output to /src/WebService-CaptchasDotNet-0.06/cover_db/coverage.html .
..
done.
[WebService-CaptchasDotNet-0.06]$
```

Coverage Summary - Mozilla Firefox

File Edit View Go Bookmarks Tools Help

file:///home/geoff/presentations/OSCon-2006/cover_db-captchas/coverage.html

Go

Coverage Summary

Coverage Summary

Database: /src/devel/WebService-CaptchasDotNet-0.06/cover_db

file	stmt	bran	cond	sub	time	total
blib/lib/WebService/CaptchasDotNet.pm	100.0	81.2	100.0	100.0	100.0	95.3
Total	100.0	81.2	100.0	100.0	100.0	95.3

Done

File Coverage: blib/lib/WebService/CaptchasDotNet.pm - Mozilla Firefox

File Edit View Go Bookmarks Tools Help

file:///home/geoff/presentations/OSCon-2006/cover_db-captchas/blib-lib-WebService-Captchas

File Coverage: blib/lib/WebServic...

File Coverage

File:	blib/lib/WebService/CaptchasDotNet.pm
Coverage:	95.3%

line	stmt	bran	cond	sub	time	code
1						`package WebService::CaptchasDotNet;`
2						
3	11 11 11			11	548 106 152	`use 5.006;`
4						
5	11 11 11			11	436 87 393	`use strict;`
6	11 11			11	486 98	`use warnings FATAL => qw(all);`

Done

File Coverage: blib/lib/WebService/CaptchasDotNet.pm - Mozilla Firefox

File Edit View Go Bookmarks Tools Help

file:///home/geoff/presentations/OSCon-2006/cover_db-captchas/blib-lib-WebService-Captchas

File Coverage: blib/lib/WebServi...

71						#----------
72						sub verify {
73						
74	18			18	1275	my $self = shift;
75						
76	18				206	my ($input, $random) = @_;
77						
78	18				3023	my $secret = $self->{_secret};
79						
80						# basic sanity checking
81						
82	18	100	100		1084	unless ($secret && $random && $input && $input =~ m/^[a-z]{6}$/) {
83	12	50			152	print STDERR join ' ', 'WebService::CaptchasDotNet - ',
84						"insufficient data for verify()\n"
85						if $DEBUG;
86						
87	12				220	return;
						}

file:///home/geoff/presentations/OSCon-2006/cover_db-captchas/blib-lib-WebService-CaptchasDotNet-pm--subroutine.html#L74

Branch Coverage: blib/lib/WebService/CaptchasDotNet.pm - Mozilla Firefox

File Edit View Go Bookmarks Tools Help

file:///home/geoff/presentations/OSCon-2006/cover_db-captchas/blib-lib-WebService-Captchas

Go

Branch Coverage: blib/lib/WebSe...

Branch Coverage

File:	blib/lib/WebService/CaptchasDotNet.pm
Coverage:	81.2%

line	%	coverage		branch
62	100	T	F	`if @_`
82	100	T	F	`unless ($secret and $random and $input and $input =~ /^[a-z]{6}$/)`
83	50	T	F	`if $DEBUG`
93	100	T	F	`unless $file`
105	100	T	F	`if ($input eq $captcha)`
143	100	T	F	`if (-e $file)`
144	50	T	F	`if $DEBUG`
153	100	T	F	`unless ($fh)`
154	50	T	F	`if $DEBUG`
194	100	T	F	`unless -d $tmp`
213	100	T	F	`if $random`
[illegible]	100	T	F	`unless ($random)`

Done

Condition Coverage: blib/lib/WebService/CaptchasDotNet.pm - Mozilla Firefox

File Edit View Go Bookmarks Tools Help

file:///home/geoff/presentations/OSCon-2006/cover_db-captchas/blib-lib-WebService-Captchas

Go

Condition Coverage: blib/lib/Web...

Condition Coverage

File:	blib/lib/WebService/CaptchasDotNet.pm
Coverage:	100.0%

line	%	coverage	condition
42	100	A dec 0 0 1 1	`$args{'expire'} || 3600`
82	100	A B C D dec 0 X X X 0 1 0 X X 0 1 1 0 X 0 1 1 1 0 0 1 1 1 1 1	`$secret and $random and $input and $input =~ /^[a-z]{6}$/`
293	100	A B dec 0 X 0	`$mtime and $mtime + $$self{'_expire'} < time`

Done

Subroutine Coverage: blib/lib/WebService/CaptchasDotNet.pm - Mozilla Firefox

File Edit View Go Bookmarks Tools Help

file:///home/geoff/presentations/OSCon-2006/cover_db-captchas/blib-lib-WebService-Captchas

Go

Subroutine Coverage: blib/lib/We...

Subroutine Coverage

File:	blib/lib/WebService/CaptchasDotNet.pm
Coverage:	100.0%

line	subroutine
3	BEGIN
5	BEGIN
6	BEGIN
8	BEGIN
9	BEGIN
10	BEGIN
11	BEGIN
12	BEGIN
13	BEGIN
38	new
60	expire
74	verify
122	random
172	url

Done

PHB

- As soon as pictures are involved, you're pretty much doomed



- "Why isn't it *all* green?"

For the Record...

1. "Wow, we have tests?"
2. "Your initiative is impressive."
3. "Good work."
4. "I didn't know you could even do that"
5. "Take tomorrow off."
6. "Your new code coverage technique is unstoppable."

...*Then*

1. "If it's not too much trouble, sir, after your so obviously selfless toils to improve our understanding of what was before an unnavigable mire of jumbled code, could you be so kind to me, sir, as to explain why, despite your best efforts, the results are less than the perfection you, yourself, aim to achieve, even if we as a company do not."

Translation

- "What do the numbers actually mean?"
- "What should our goals be?"



- Coverage tells you *nothing* about code
  - specifically, whether it works or not
- Says little about test completeness
  - not what was tested well, just what was tested
- More a measure of test gaps
  - where you need tests
- Coverage is never the whole story

Official Ticketmaster site. Alternative Rock tickets - Mozilla Firefox

File Edit View Go Bookmarks Tools Help

http://www.ticketmaster.com/browse?category=60&tm_link=tm_music_b_60&root=10001

Go

Official Ticketmaster site. Alterna...

ticketmaster

Retail Locations | International | Help

HOME | TICKETEXCHANGE | TICKETALERTS | MY ACCOUNT

MUSIC | SPORTS | ARTS & THEATER | FAMILY

Enter Artist, Team, or Venue | Search | United States see local venues and events | Ask.com Search the Web | Go

Welcome | Log In

Categories

- All Music (7227)
- **Alternative Rock (1618)**
- Classical (166)
- Comedy (730)
- Country and Folk (604)
- Dance/Electronic (56)
- Hard Rock/Metal (234)
- Jazz and Blues (368)
- Latin (156)
- Miscellaneous (21)
- New Age and Spiritual (49)
- R&B/Urban Soul (287)
- Rap and Hip-Hop (217)
- Rock and Pop (2177)
- World Music (174)
- More Concerts (370)

Refine Your Results

Enter City or Zip Code | Alternative Rock | Next 60 Days | Search

Showing 1 - 30 of 1618 Alternative Rock events found in the United States

1 - 30 of 1618 next

Mon, 07/10/06 05:00 PM	**Chiodos (Acoustic)**	Chain Reaction Anaheim, CA	Find Tickets On Sale Now
Mon, 07/10/06 05:00 PM	**Mindless Self Indulgence**	First Avenue Minneapolis, MN	Find Tickets On Sale Now
Mon, 07/10/06 06:00 PM	**Lucky Boys Confusion**	The Basement Columbus, OH	Find Tickets On Sale Now
Mon, 07/10/06 06:00 PM	**The Moaners Plus Chittlin'**	Beachland Tavern Cleveland, OH	Find Tickets On Sale Now
Mon, 07/10/06 06:30 PM	**Taking Back Sunday / Angels and Airwaves**	The Arena At Gwinnett Center Atlanta, GA	Find Tickets On Sale Now
Mon, 07/10/06 07:00 PM	**Candlebox**	The Blue Note Columbia, MO	Find Tickets On Sale Now

Done

File Coverage: /app/shared/home/tmweb/head/tmweb/lib/perl/TM/Util/Genres/Bitmap.pm - Mozilla Firefox

File Edit View Go Bookmarks Tools Help

file:///home/geoff/presentations/OSCon-2006/cover_db-bitmap-bad3/-app-shared-home-tmweb-

Go

File Coverage: /app/shared/home...

78						
79	65				717	foreach my $value (sort keys %values) {
80						
81	81	100			849	if ($value - 32 <= $offset) {
82						
83	19				126	$columns{$name} |= (1 << $value);
84						
85	19				197	delete $values{$value};
86						
87						}
88						}
						}

Done

Don't Just Test – Test Well

- Don't be led into a false sense of security by coverage reports
- A pretty image won't save you from incomplete or poor tests

What *is* it Good For?

- Paired with good testing practices, code coverage is very powerful
- Coverage shows which parts of your code you still need to test
  - "untested code does not exist"
- Can also uncover unsavory code

Branch Coverage: /app/shared/home/tmweb/geoff/webcore-utc_refactor_2006/lib/perl/TMCS/Model.pm - Mozilla Firefox

File Edit View Go Bookmarks Tools Help

file:///home/geoff/presentations/OSCon-2006/cover_db-model/-app-shared-home-tmweb-geoff-v

Branch Coverage: /app/shared/h...

488	100	T	F	`if (not defined &$method)`
489	100	T	F	`if (0 == $dirty_style) { }`
	100	T	F	`elsif (1 == $dirty_style) { }`
	100	T	F	`elsif (2 == $dirty_style) { }`
494	100	T	F	`if (@_)`
497	100	T	F	`if ref $lang or not defined $lang`
499	50	T	F	`if not defined $lang`
504	100	T	F	`if $$args{'lang'} and $$args{'lang'} eq 'all'`
507	100	T	F	`if (exists $$args{'lang'} and ref $$args{'lang'} eq 'ARRAY') { }`
	100	T	F	`elsif (exists $$args{'lang'} and not ref $$args{'lang'} and defined $$`
512	100	T	F	`unless $lang and ref $lang eq 'ARRAY'`
518	100	T	F	`unless $lang and ref $lang eq 'ARRAY'`
523	100	T	F	`if exists $$self{'data'}{$field}{$language}`
526	50	T	F	`unless defined &$method`
533	100	T	F	`if (@_)`

Done

Branch Coverage: /app/shared/home/tmweb/geoff/webcore-utc_refactor_2006/lib/perl/TMCS/Model.pm - Mozilla Firefox

File Edit View Go Bookmarks Tools Help

file:///home/geoff/presentations/OSCon-2006/cover_db-model/-app-shared-home-tmweb-geoff-v

Branch Coverage: /app/shared/h...

488	100	T	F	`if (not defined &$method)`
489	100	T	F	`if (0 == $dirty_style) { }`
	100	T	F	`elsif (1 == $dirty_style) { }`
	100	T	F	`elsif (2 == $dirty_style) { }`
494	100	T	F	`if (@_)`
497	100	T	F	`if ref $lang or not defined $lang`
499	50	T	F	`if not defined $lang`
504	100	T	F	`if $$args{'lang'} and $$args{'lang'} eq 'all'`
507	100	T	F	`if (exists $$args{'lang'} and ref $$args{'lang'} eq 'ARRAY') { }`
	100	T	F	`elsif (exists $$args{'lang'} and not ref $$args{'lang'} and defined $$`
512	100	T	F	`unless $lang and ref $lang eq 'ARRAY'`
518	100	T	F	`unless $lang and ref $lang eq 'ARRAY'`
523	100	T	F	`if exists $$self{'data'}{$field}{$language}`
526	50	T	F	`unless defined &$method`
533	100	T	F	`if (@_)`

Done

```
throw TMCS::Exception(text => "...", modify_depth => 1)
  if (ref($lang) || !defined $lang);

throw TMCS::Exception(text => "...", modify_depth => 1)
  if (not defined $lang);
```

```
if(not defined &$method) {

 ...

    *$method = sub {...} unless defined &$method;
}
```

Our Questions

- "What do the numbers actually mean?"
- "What should our goals be?"

How Much Green is Enough?

- Some people will claim arbitrary goals
  - "... you should aim to provide at least 80% coverage in your code"
- Untested code is untested code
  - "Untested code does not exist"
- 100% coverage is impractical
  - for a number of reasons
- Aim for 100% *understood* coverage

Impractical?

- Yeah, 100% is impractical
  - some say it's sometimes impossible
- Sometimes you don't really care about testing an execution path
  - simple debug statements
  - `$self` in object oriented code
- `Devel::Cover` has its own set of "features"

File Coverage: blib/lib/WebService/CaptchasDotNet.pm - Mozilla Firefox

File Edit View Go Bookmarks Tools Help

file:///home/geoff/presentations/OSCon-2006/cover_db-captchas/blib-lib-WebService-Captchas

File Coverage: blib/lib/WebServi...

71						#----------
72						sub verify {
73						
74	18			18	1275	my $self = shift;
75						
76	18				206	my ($input, $random) = @_;
77						
78	18				3023	my $secret = $self->{_secret};
79						
80						# basic sanity checking
81						
82	18	100	100		1084	unless ($secret && $random && $input && $input =~ m/^[a-z]{6}$/) {
83	12	50			152	print STDERR join ' ', 'WebService::CaptchasDotNet - ',
84						"insufficient data for verify()\n"
85						if $DEBUG;
86						
87	12				220	return;
						}

file:///home/geoff/presentations/OSCon-2006/cover_db-captchas/blib-lib-WebService-CaptchasDotNet-pm--subroutine.html#L74

Condition Coverage: /home/geoff/src/webcore/lib/perl/TMCS/Model.pm - Mozilla

File Edit View Go Bookmarks Tools Window Help

Back Forward Reload Stop file:///src/tm/cover_db/-home-geoff-src-webcore-lib-perl-TMCS-Model-pm--condition.html Print

Condition Coverage: /home/geoff/sr...

		A	B	dec	
	67	0	0	0	`ref $self || $self`
		0	1	1	
		1	X	1	
	67	0	0	0	`$args{'data'} || $self`
		0	1	1	
		1	X	1	
793	67	0	0	0	`ref $self || $self`
		0	1	1	
		1	X	1	
818	67	0	0	0	`ref $self || $self`
		0	1	1	
		1	X	1	
822	100	0	X	0	`$_[0] && ($_[0] eq 'y' || $_[0] eq 'Y' || $_[0] > 0)`
		1	0	0	

Done

File Coverage: blib/lib/My/Bug.pm - Mozilla Firefox

File Edit View Go Bookmarks Tools Help

file:///home/geoff/presentations/OSCon-2006/devel-cover-examples/cover_db/blib-lib-My-Bug-p

File Coverage: blib/lib/My/Bug.pm

line	stmt	bran	cond	sub	time	code
12	1				14	foreach my $attribute (qw(one two)) {
13						
14	2		67		55	$self->{_att1} ||= $attribute;
15						
16	2	100			63	$self->{_att2} \|\| ($self->{_att2} = $attribute);
17						
18	2		100		46	$self->{_att3} ||= 'three';
19						
20	2	100			53	$self->{_att4} \|\| ($self->{_att4} = 'four');
21						
22						}
23						
24	1				20	return $self;
25						}

Done

geoff@spinnaker:~/presentations/OSCon-2006/devel-cover-examples

File Edit View Terminal Tabs Help

```
$ perl -MO=Deparse lib/My/Bug.pm
package My::Bug;
sub BEGIN {
    require strict;
    do {
        'strict'->import
    };
}
sub testme {
    BEGIN {${^WARNING_BITS} = "\377\377\377\377\377\377\377\377\377\377\377\377"}
    use strict 'refs';
    my $self = shift @_;
    my $foo;
    foreach my $attribute ('one', 'two') {
        $$self{'_att1'} ||= $attribute;
        $$self{'_att2'} = $attribute unless $$self{'_att2'};
        $$self{'_att3'} ||= 'three';
        $$self{'_att4'} = 'four' unless $$self{'_att4'};
    }
    return $self;
}
BEGIN {${^WARNING_BITS} = "\377\377\377\377\377\377\377\377\377\377\377\377"}
use strict 'refs';
'???';
lib/My/Bug.pm syntax OK
$
```

Aesthetically (Un)Pleasing

- Don't let (un)pretty graphs distract you
- 100% coverage is nice, but not always practical

100% Understood Coverage

- Ideally, tests should get as close to 100% as possible
  - don't shoot for 80% or some arbitrary value
- The missing percent should be easily explained
  - non-production code
  - clear API violations
- Colors don't matter

Debugging with Coverage

- `Devel::Cover` adds value to your tests
  - worth the time just for that
- Also a worthy debugging aid

```
my $LAST_CHECK = 0;
my @DEAD_SERVERS = ();

sub _get_dead_servers {

 if ($LAST_CHECK < (my $mtime = (stat($TM::file))[9])) {

      $LAST_CHECK = $mtime;

      if (open my $fh, $TM::file) {
          @DEAD_SERVERS = <$fh>;
          chomp @DEAD_SERVERS;
      } else {
          @DEAD_SERVERS = ();
          undef $LAST_CHECK;
      }
  }
  return @DEAD_SERVERS;
}
```

My Test Philosophy

- I like to test three things with files
  - No file
  - Unreadable file
  - Readable file
- `httpd` environments lend themselves to unreadable files
  - server starts as `root`
  - requests served by `nobody`

geoff@spinnaker:~/presentations/OSCon-2006/atlas

File Edit View Terminal Tabs Help

```
$ make test TEST_VERBOSE=1
PERL_DL_NONLAZY=1 /usr/bin/perl "-MExtUtils::Command::MM" "-e" "test_harness(1, 'bl
ib/lib', 'blib/arch')" t/*.t
t/_get_dead_servers....1..3
ok 1 - handles non-existent file gracefully
ok 2 - handles unreadable file gracefully
not ok 3 - returned 4 servers

#   Failed test 'returned 4 servers'
#   in t/_get_dead_servers.t at line 40.
# Looks like you failed 1 test of 3.
dubious
        Test returned status 1 (wstat 256, 0x100)
DIED. FAILED test 3
        Failed 1/3 tests, 66.67% okay
Failed Test           Stat Wstat Total Fail  Failed  List of Failed
-------------------------------------------------------------------------------
t/_get_dead_servers.t    1   256     3    1  33.33%  3
Failed 1/1 test scripts, 0.00% okay. 1/3 subtests failed, 66.67% okay.
make: *** [test_dynamic] Error 1
$
```

What Went Wrong?

- It's not immediately obvious
- The old way to debug this might be to add a bunch of print statements
  - or maybe whip out the debugger
- Since you already have the tests in place, `Devel::Cover` can help
- Let's see how far we can get using just `Devel::Cover`

File Coverage: blib/lib/TM.pm - Mozilla Firefox

File Edit View Go Bookmarks Tools Help

File Coverage: blib/lib/TM.pm

line	stmt	bran	cond	sub	time	code
11						sub _get_dead_servers {
12						
13	3	100		3	214	if ($LAST_CHECK < (my $mtime = (stat($TM::file))[9])) {
14						
15	1				13	$LAST_CHECK = $mtime;
16						
17	1	50			108	if (open my $fh, $TM::file) {
18	0				0	@DEAD_SERVERS = <$fh>;
19	0				0	chomp @DEAD_SERVERS;
20						} else {
21	1				25	@DEAD_SERVERS = ();
22						
23						}
24						}
25	3				115	return @DEAD_SERVERS;

Branch Coverage: blib/lib/TM.pm - Mozilla Firefox

File Edit View Go Bookmarks Tools Help

file:///home/geoff/presentations/OSCon-2006/atlas-tweak/cover_db-bad/blib-lib-TM-pm--branch.

Go

Branch Coverage: blib/lib/TM.pm

Branch Coverage

File:	blib/lib/TM.pm
Coverage:	75.0%

line	%	coverage		branch
13	100	T	F	`if ($LAST_CHECK < (my $mtime = (stat $file)[9]))`
17	50	T	F	`if (open my $fh, $file) { }`

Non-Existent File Test

```
local $TM::dbfile = 'deadserver.test';

{
  my @dead_servers = TM->_get_dead_servers();

  is (scalar @dead_servers,
      0,
      'handles non-existent file gracefully');
}
```

Unreadable File Test

```
my @servers = qw(test1 test2 test3 test4);

[ stuff that creates and populates the file ]

{
  chmod 0111, $TM::dbfile;

  my @dead_servers = TM->_get_dead_servers();

  is (scalar @dead_servers,
      0,
      'handles unreadable file gracefully');
}
```

Readable File Test

```
my @servers = qw(test1 test2 test3 test4);

{
  chmod 0644, $TM::file;

  my @dead_servers = TM->_get_dead_servers();

  ok (eq_array(\@dead_servers, \@servers),
      'returned 4 servers');
}
```

Why Does It Fail?

- `chmod` does not update the `mtime`
- `$LAST_CHECK` represents a *failed* check
- Now you get to decide whether this is a bug or a feature
  - is the test or the code wrong?
- I decided it is a bug
  - you want to be able to `chmod` a file without restarting the server

geoff@spinnaker:~/presentations/OSCon-2006/atlas

File Edit View Terminal Tabs Help

```
$ make test TEST_VERBOSE=1
cp lib/TM.pm blib/lib/TM.pm
Skip blib/lib/My/Bug.pm (unchanged)
PERL_DL_NONLAZY=1 /usr/bin/perl "-MExtUtils::Command::MM" "-e" "test_harness(1, 'bl
ib/lib', 'blib/arch')" t/*.t
t/_get_dead_servers....1..3
ok 1 - handles non-existent file gracefully
ok 2 - handles unreadable file gracefully
ok 3 - returned 4 servers
ok
All tests successful.
Files=1, Tests=3,  2 wallclock secs ( 1.60 cusr +  0.11 csys =  1.71 CPU)
$
```

File Coverage: blib/lib/TM.pm - Mozilla Firefox

File Edit View Go Bookmarks Tools Help

File Coverage: blib/lib/TM.pm

line	stmt	bran	cond	sub	time	code
11						sub _get_dead_servers {
12						
13	3	100		3	255	if ($LAST_CHECK < (my $mtime = (stat($TM::file))[9])) {
14						
15	2				22	$LAST_CHECK = $mtime;
16						
17	2	100			206	if (open my $fh, $TM::file) {
18	1				127	@DEAD_SERVERS = <$fh>;
19	1				23	chomp @DEAD_SERVERS;
20						} else {
21	1				14	@DEAD_SERVERS = ();
22	1				24	undef $LAST_CHECK;
23						}
24						}
25	3				215	return @DEAD_SERVERS;

Coverage Summary - Mozilla Firefox

File Edit View Go Bookmarks Tools Help

file:///home/geoff/presentations/OSCon-2006/cover_db-captchas/talk.html

Coverage Summary

Coverage Summary

Session:	Rock Your Testing World With Devel::Cover

module	use	theory	options	goodness	time	total
Devel::Cover	67.3	55.2	12.7	95.3	100.0	66.1
Total	67.3	55.2	12.7	95.3	100.0	66.1

Done

Resources

- `Devel::Cover` sources

  `http://search.cpan.org/dist/Devel-Cover/`

- Code coverage articles

  `http://en.wikipedia.org/wiki/Code_coverage`

- Kathy Sierra's "girl code" blog entry

  `http://xrl.us/girlcode`

- These slides

  `http://modperlcookbook.org/~geoff/`